



MULTI-HORSEPOWER MOTORS

MULTI-HORSEPOWER – ONE & TWO SPEED – TOTALLY ENCLOSED – 60 HZ – CONDENSER FANS

| Part No. | HP | Volts | Rated Amps | Bearings | RPM/SPD | "BM" DIM. | Shaft Size | Capacitor (MFD) 370V |
|--|----------|---------|------------|----------|---------|-----------|------------|----------------------|
| PP3469 | 1/3, 1/5 | 208-230 | 1.9, 1.2 | BALL | 825/2 | 5.24 | 1/2 X 6" | 10 or 7.5 |
| PP3465 | 1/3, 1/5 | 208-230 | 2.6, 1.4 | BALL | 1075/2 | 4.86 | 1/2 X 6" | 7.5 or 5 |
| PP3468 | 1/2, 1/4 | 208-230 | 3.6, 1.7 | BALL | 1075/2 | 5.24 | 1/2 X 6" | 12.5 or 10 |
| Simple, Two-Wire Connection | | | | | | | | |
| PP3459 | 1/3, 1/8 | 208-230 | 1.8, 2.0 | BALL | 825/2 | 4.86 | 1/2 X 6.7" | 7.5 |
| PP3458 | 1/3, 1/6 | 208-230 | 1.8, 2.0 | BALL | 1075 | 4.11 | 1/2 X 6.7" | 7.5 |
| Hi-Temp® 70°C – Multi-Horsepower – Totally Enclosed – Condenser Fans – 36" Lead Length | | | | | | | | |
| PP3469F | 1/3, 1/5 | 208-230 | 1.9, 1.2 | BALL | 825/2 | 5.24 | 1/2 X 6" | 10 or 7.5 |
| PP3465F | 1/3, 1/5 | 208-230 | 2.6, 1.4 | BALL | 1075/2 | 4.86 | 1/2 X 6" | 7.5 or 5 |
| PP3468F | 1/2, 1/4 | 208-230 | 3.6, 1.7 | BALL | 1075/2 | 5.24 | 1/2 X 6" | 12.5 or 10 |
| 70°C – Simple, Two-Wire Connection | | | | | | | | |
| PP3459F | 1/3, 1/8 | 208-230 | 1.8, 2.0 | BALL | 825 | 4.86 | 1/2 X 6.7" | 7.5 |
| PP3458F | 1/3, 1/6 | 208-230 | 1.8, 2.0 | BALL | 1075 | 4.11 | 1/2 X 6.7" | 7.5 |
| PP3209F | 1/3, 1/8 | 460 | 1.0 | BALL | 825 | 5.24 | 1/2 X 6" | 7.5 |



- Electronically Reversible
- Energy Efficient
- 60°C Ambient
- Single Phase
- UL/CSA Approved
- Class "B" Insulation
- Auto Protector
- Rheem Holes in Shell
- 36" Lead Length
- 1 Year Warranty

NEW

ECM MULTI-HORSEPOWER 825/1075 RPM – CONDENSER FAN

| Part No. | HP | Volts | Rated Amps | Bearings | RPM/SPD | Shaft Size | Capacitor (MFD) 370V |
|----------|-----------|---------|-------------|----------|------------|------------|----------------------|
| PP874 | 1/8 – 1/3 | 208/230 | 2.4 Maximum | BALL | 825 – 1075 | 1/2 X 6.5" | N/A |



- Replaces All PSC Motors
- Electronically Reversible
- 60°C Ambient
- Single Phase
- Shaft Down Installation
- UL/CSA Approved
- CUL Approved
- Auto Protector w/Surge Protection
- Rheem Holes in Shell
- 48" Lead Length
- 2 Year Warranty

MULTI-HORSEPOWER – FOUR SPEED – BLOWER MOTORS

| Part No. | HP | Volts | Rated Amps | Bearings | RPM/SPD | "BM" DIM. | Shaft Size | Capacitor (MFD) 370V |
|----------|----------|---------|------------|----------|---------|-----------|------------|----------------------|
| PP3463 | 1/2, 1/6 | 115 | 7.0 | SLEEVE | 1075/4 | 4.86 | 1/2 X 4.5" | 10, 7.5, 5 |
| PP3464 | 1/2, 1/6 | 208-230 | 3.9 | SLEEVE | 1075/4 | 4.86 | 1/2 X 4.5" | 10, 7.5, 5 |
| PP3466 | 3/4, 1/5 | 115 | 9.1 | SLEEVE | 1075/4 | 4.86 | 1/2 X 4.5" | 10, 7.5, 5 |
| PP3467 | 3/4, 1/5 | 208-230 | 3.9 | SLEEVE | 1075/4 | 4.86 | 1/2 X 4.5" | 10, 7.5, 5 |



- Electronically Reversible
- Energy Efficient
- 40°C Ambient
- Single Phase
- UL/CSA Approved
- Class "B" Insulation
- Auto Protector
- Rheem Holes in Shell
- 36" Lead Length
- 1 Year Warranty

NEW

MULTI-HORSEPOWER – CONSTANT TORQUE ECM – BLOWER MOTORS

| Part No. | HP | Volts | Rated Amps | Bearings | RPM/SPD | Shaft Size | Capacitor (MFD) 370V |
|----------|-----------|---------|-----------------|----------|------------|------------|----------------------|
| PP858 | 1/5 – 1/2 | 115/230 | 6.4/3.8 Maximum | BALL | 625 – 1075 | 1/2 X 5" | N/A |
| PP859 | 1/2 – 1 | 115/230 | 11.5/7 Maximum | BALL | 625 – 1075 | 1/2 X 5" | N/A |



- Replaces All Constant Torque ECM
- Uses OEM Factory Connections
- Bluetooth Speed Adjustable
- Free Downloadable App
- App Displays Real Time Data
- Auto Sizes to Plenum
- CUL Approved
- Electronically Reversible
- 2 Year Warranty



PRO TO GO!

THE BRANDS YOU TRUST FROM THE BRAND YOU RELY ON!




Where applicable, our products are listed or recognized by the Canadian Standards Association and Underwriter's Laboratories. The products featured in this literature are not designed, engineered or assembled by PROPARTS or any of its affiliated organizations. To verify the information provided, please contact the original manufacturer. For additional information, please contact your local PROPARTS representative. Our continuing commitment to quality products may mean a change in specifications without notice.



REPLACEMENT MOTORS
FOR RESIDENTIAL AND
LIGHT COMMERCIAL HVAC/R
APPLICATIONS

MOTORS



THE BRANDS YOU TRUST FROM THE BRAND YOU RELY ON!



Condenser Fan Motors

SINGLE SPEED - TOTALLY ENCLOSED - CONDENSER FANS

| Part No. | HP | Volts | Rated Amps | Bearings | RPM/SPD | "BM" DIM. | Shaft Size | Capacitor (MFD) 370V |
|----------|-----|---------|------------|----------|---------|-----------|------------|----------------------|
| PP3403 | 1/6 | 208-230 | 1.0-1.1 | BALL | 825 | 4.11 | 1/2 X 6" | 5 |
| PP3404 | 1/4 | 208-230 | 1.3-1.4 | BALL | 825 | 4.61 | 1/2 X 6" | 5 |
| PP3405 | 1/3 | 208-230 | 1.6-1.8 | BALL | 825 | 5.11 | 1/2 X 6" | 7.5 |
| PP3746 | 1/2 | 208-230 | 2.2-2.5 | BALL | 825 | 5.61 | 1/2 X 6" | 10 |
| PP3727 | 1/6 | 208-230 | 1.0-1.1 | BALL | 1075 | 3.86 | 1/2 X 6" | 5 |
| PP3728 | 1/4 | 208-230 | 1.8-2.0 | BALL | 1075 | 4.11 | 1/2 X 6" | 5 |
| PP3729 | 1/3 | 208-230 | 2.2-2.5 | BALL | 1075 | 4.61 | 1/2 X 6" | 7.5 |
| PP3730 | 1/2 | 208-230 | 3.0-3.5 | BALL | 1075 | 5.11 | 1/2 X 6" | 10 |
| PP3731 | 3/4 | 208-230 | 4.6-5.3 | BALL | 1075 | 5.36 | 1/2 X 6" | 10 |



- Electronically Reversible
- Energy Efficient
- 60°C Ambient
- Single Phase
- UL/CSA Approved
- Class "B" Insulation
- Auto Protector
- 60 Hz
- Rheem Holes in Shell
- 36" Lead Length
- 1 Year Warranty

HIGH TEMP - SINGLE SPEED - TOTALLY ENCLOSED - CONDENSER FANS

| Part No. | HP | Volts | Rated Amps | Bearings | RPM/SPD | "BM" DIM. | Shaft Size | Capacitor (MFD) 370V |
|----------|-----|---------|------------|----------|---------|-----------|------------|----------------------|
| PP3403F | 1/6 | 208-230 | 1.0-1.1 | BALL | 825 | 4.11 | 1/2 X 6" | 5 |
| PP3404F | 1/4 | 208-230 | 1.3-1.4 | BALL | 825 | 4.61 | 1/2 X 6" | 5 |
| PP3405F | 1/3 | 208-230 | 1.6-1.8 | BALL | 825 | 5.11 | 1/2 X 6" | 7.5 |
| PP3746F | 1/2 | 208-230 | 2.2-2.5 | BALL | 825 | 5.61 | 1/2 X 6" | 10 |
| PP3727F | 1/6 | 208-230 | 1.0-1.1 | BALL | 1075 | 3.86 | 1/2 X 6" | 5 |
| PP3728F | 1/4 | 208-230 | 1.8-2.0 | BALL | 1075 | 4.11 | 1/2 X 6" | 5 |
| PP3729F | 1/3 | 208-230 | 2.2-2.5 | BALL | 1075 | 4.61 | 1/2 X 6" | 7.5 |
| PP3730F | 1/2 | 208-230 | 3.0-3.5 | BALL | 1075 | 5.11 | 1/2 X 6" | 10 |
| PP3731F | 3/4 | 208-230 | 4.6-5.3 | BALL | 1075 | 5.36 | 1/2 X 6" | 10 |
| PP3736F | 1/4 | 460 | 1.0 | BALL | 1075 | 4.74 | 1/2 X 6" | 7.5 |
| PP3737F | 1/3 | 460 | 1.3 | BALL | 1075 | 5.24 | 1/2 X 6" | 7.5 |
| PP3738F | 1/2 | 460 | 1.5 | BALL | 1075 | 5.61 | 1/2 X 6" | 10 |
| PP3739F | 3/4 | 460 | 2.8 | BALL | 1075 | 5.61 | 1/2 X 6" | 15 |

- Electronically Reversible
- Energy Efficient
- 70°C Ambient
- Single Phase
- UL/CSA Approved
- Class "F" Insulation
- Auto Protector
- Rheem Holes in Shell
- 36" Lead Length
- 1 Year Warranty

Furnace Blower Motors

THREE SPEED - BLOWER MOTORS

| Part No. | HP | Volts | Rated Amps | Bearings | RPM/SPD | "BM" DIM. | Shaft Size | Capacitor (MFD) 370V |
|----------|-----|---------|--------------|----------|---------|-----------|------------|----------------------|
| PP3583 | 1/4 | 115 | 4.2-2.4-2.0 | SLEEVE | 1075/3 | 3.99 | 1/2 X 4" | 5 |
| PP3584 | 1/4 | 208-230 | 2.0-1.1-0.9 | SLEEVE | 1075/3 | 3.99 | 1/2 X 4" | 5 |
| PP3585 | 1/3 | 115 | 5.5-3.0-2.0 | SLEEVE | 1075/2 | 4.36 | 1/2 X 4" | 7.5 |
| PP3586 | 1/3 | 208-230 | 2.8-1.7-1.2 | SLEEVE | 1075/3 | 4.36 | 1/2 X 4" | 5 |
| PP3587 | 1/2 | 115 | 7.5-4.5-3.0 | SLEEVE | 1075/3 | 4.86 | 1/2 X 4" | 10 |
| PP3588 | 1/2 | 208-230 | 3.6-2.3-1.6 | SLEEVE | 1075/3 | 4.86 | 1/2 X 4" | 10 |
| PP3589 | 3/4 | 115 | 10.2-7.3-4.5 | SLEEVE | 1075/2 | 5.36 | 1/2 X 4" | 15 |
| PP3590 | 3/4 | 208-230 | 5.5-4.5-3.2 | SLEEVE | 1075/3 | 5.36 | 1/2 X 4" | 10 |



- Electronically Reversible
- Energy Efficient
- 40°C Ambient
- Single Phase
- UL/CSA Approved
- Class "B" Insulation
- Auto Protector
- Rheem Holes in Shell
- 36" Lead Length
- 1 Year Warranty

CROSS REFERENCE

| Part No. | HP | Volts | F/L Amps | Bearings | RPM | Shaft | Capacitor to Match | Diversitech / Wagner | Smart Electric |
|----------|-----------|---------|-------------------|----------|------------|-------------|--------------------|----------------------------|----------------|
| PP3403 | 1/6 | 208-230 | 1.0-1.1 | BALL | 825 | 1/2 X 6" | 5 | | |
| PP3404 | 1/4 | 208-230 | 1.3-1.4 | BALL | 825 | 1/2 X 6" | 5 | WG840204 | |
| PP3405 | 1/3 | 208-230 | 1.6-1.8 | BALL | 825 | 1/2 X 6" | 7.5 | WG840205 | |
| PP3746 | 1/2 | 208-230 | 2.2-2.5 | BALL | 825 | 1/2 X 6" | 10 | | |
| PP3727 | 1/6 | 208-230 | 1.0-1.1 | BALL | 1075 | 1/2 X 6" | 5 | WG840727 | SE3727 |
| PP3728 | 1/4 | 208-230 | 1.8-2.0 | BALL | 1075 | 1/2 X 6" | 5 | WG840728 | SE3728 |
| PP3729 | 1/3 | 208-230 | 2.2-2.5 | BALL | 1075 | 1/2 X 6" | 7.5 | WG840729 | SE3729 |
| PP3730 | 1/2 | 208-230 | 3.0-3.5 | BALL | 1075 | 1/2 X 6" | 10 | WG840730 | SE3730 |
| PP3731 | 3/4 | 208-230 | 4.6-5.3 | BALL | 1075 | 1/2 X 6" | 10 | WG840731 | SE3731 |
| PP3469 | 1/3, 1/5 | 208-230 | 1.9, 1.2 | BALL | 825/2 | 1/2 X 6" | 10 or 7.5 | WG840469 | SE3469 |
| PP3465 | 1/3, 1/5 | 208-230 | 2.6, 1.4 | BALL | 1075/2 | 1/2 X 6" | 7.5 or 5 | WG840465 | SE3465 |
| PP3468 | 1/2, 1/4 | 208-230 | 3.6, 1.7 | BALL | 1075/2 | 1/2 X 6" | 12.5 or 10 | WG840468 | SE3468 |
| PP3459 | 1/3, 1/8 | 208-230 | 1.8, 2.0 | BALL | 825 | 1/2 X 6.7" | 7.5 | | |
| PP3458 | 1/3, 1/6 | 208-230 | 1.8, 2.0 | BALL | 1075 | 1/2 X 6.7" | 7.5 | | |
| PP3403F | 1/6 | 208-230 | 1.0-1.1 | BALL | 825 | 1/2 X 6" | 5 | | |
| PP3404F | 1/4 | 208-230 | 1.3-1.4 | BALL | 825 | 1/2 X 6" | 5 | WG840204HT | SE3378 |
| PP3405F | 1/3 | 208-230 | 1.6-1.8 | BALL | 825 | 1/2 X 6" | 7.5 | WG840105HT | SE3379 |
| PP3746F | 1/2 | 208-230 | 2.2-2.5 | BALL | 825 | 1/2 X 6" | 10 | | |
| PP3727F | 1/6 | 208-230 | 1.0-1.1 | BALL | 1075 | 1/2 X 6" | 5 | | |
| PP3728F | 1/4 | 208-230 | 1.8-2.0 | BALL | 1075 | 1/2 X 6" | 5 | WG840728HT | SE3178 |
| PP3729F | 1/3 | 208-230 | 2.2-2.5 | BALL | 1075 | 1/2 X 6" | 7.5 | WG840729HT | SE3179 |
| PP3730F | 1/2 | 208-230 | 3.0-3.5 | BALL | 1075 | 1/2 X 6" | 10 | WG840730HT | |
| PP3731F | 3/4 | 208-230 | 4.6-5.3 | BALL | 1075 | 1/2 X 6" | 10 | WG840731HT | |
| PP3736F | 1/4 | 460 | 1.0 | BALL | 1075 | 1/2 X 6" | 7.5 | WG840736HT | SE4128 |
| PP3737F | 1/3 | 460 | 1.3 | BALL | 1075 | 1/2 X 6" | 7.5 | WG840737HT | SE4129 |
| PP3738F | 1/2 | 460 | 1.5 | BALL | 1075 | 1/2 X 6" | 10 | WG840738HT | SE4130 |
| PP3739F | 3/4 | 460 | 2.8 | BALL | 1075 | 1/2 X 6" | 15 | WG840739HT | SE4131 |
| PP3469F | 1/3, 1/5 | 208-230 | 1.9, 1.2 | BALL | 825/2 | 1/2 X 6" | 10 or 7.5 | | |
| PP3465F | 1/3, 1/5 | 208-230 | 2.6, 1.4 | BALL | 1075/2 | 1/2 X 6" | 7.5 or 5 | | |
| PP3468F | 1/2, 1/4 | 208-230 | 3.6, 1.7 | BALL | 1075/2 | 1/2 X 6" | 12.5 or 10 | | |
| PP3459F | 1/3, 1/8 | 208-230 | 1.8, 2.0 | BALL | 825 | 1/2 X 6.7" | 7.5 | | SE3177 |
| PP3458F | 1/3, 1/6 | 208-230 | 1.8, 2.0 | BALL | 1075 | 1/2 X 6.7" | 7.5 | | SE3377 |
| PP3209F | 1/3, 1/8 | 460 | 1.0 | BALL | 825 | 1/2 X 6" | 7.5 | | |
| PP3583 | 1/4 | 115 | 4.2-2.4-2.0 | SLEEVE | 1075/3 | 1/2 X 4" | 5 | WG840583 | SE3583 |
| PP3584 | 1/4 | 208-230 | 2.0-1.1-0.9 | SLEEVE | 1075/3 | 1/2 X 4" | 5 | WG840584 | SE3584 |
| PP3585 | 1/3 | 115 | 5.5-3.0-2.0 | SLEEVE | 1075/2 | 1/2 X 4" | 7.5 | WG840585 | SE3585 |
| PP3586 | 1/3 | 208-230 | 2.8-1.7-1.2 | SLEEVE | 1075/3 | 1/2 X 4" | 5 | WG840586 | SE3586 |
| PP3587 | 1/2 | 115 | 7.5-4.5-3.0 | SLEEVE | 1075/3 | 1/2 X 4" | 10 | WG840587 | SE3587 |
| PP3588 | 1/2 | 208-230 | 3.6-2.3-1.6 | SLEEVE | 1075/3 | 1/2 X 4" | 10 | WG840588 | SE3588 |
| PP3589 | 3/4 | 115 | 10.2-7.3-4.5 | SLEEVE | 1075/2 | 1/2 X 4" | 15 | WG840589 | SE3589 |
| PP3590 | 3/4 | 208-230 | 5.5-4.5-3.2 | SLEEVE | 1075/3 | 1/2 X 4" | 10 | WG840590 | SE3590 |
| PP3591 | 1 | 115 | 12.6 | SLEEVE | 1075/3 | 1/2 X 6" | - | WG840595 | |
| PP3592 | 1 | 208-230 | 5.59 | SLEEVE | 1075/3 | 1/2 X 6" | - | WG840596 | |
| PP3463 | 1/2, 1/6 | 115 | 7.0 | SLEEVE | 1075/4 | 1/2 X 4.5" | 10, 7.5, 5 | WG840463 | SE3463 |
| PP3464 | 1/2, 1/6 | 208-230 | 3.9 | SLEEVE | 1075/4 | 1/2 X 4.5" | 10, 7.5, 5 | WG840464 | SE3464 |
| PP3466 | 3/4, 1/5 | 115 | 9.1 | SLEEVE | 1075/4 | 1/2 X 4.5" | 10, 7.5, 5 | WG840466 | SE3466 |
| PP3467 | 3/4, 1/5 | 208-230 | 3.9 | SLEEVE | 1075/4 | 1/2 X 4.5" | 10, 7.5, 5 | WG840467 | SE3467 |
| Part No. | HP | Volts | F/L Amps | Bearings | RPM | Shaft | Capacitor to Match | Genteq Evergreen | |
| PP858 | 1/5 - 1/2 | 115/230 | 6.4 / 3.8 Maximum | BALL | 625 - 1075 | 1/2" x 5" | N/A | 6103E, 6203, 6105E, 6205E | |
| PP859 | 1/2 - 1 | 115/230 | 11.5 / 7 Maximum | BALL | 625 - 1075 | 1/2" x 5" | N/A | 6107E, 6207E, 6110E, 6210E | |
| Part No. | HP | Volts | F/L Amps | Bearings | RPM | Shaft | Capacitor to Match | Genteq Evergreen | |
| PP874 | 1/8 - 1/3 | 208/230 | 2.4 Maximum | BALL | 825 - 1075 | 1/2" x 6.5" | N/A | 6103E, 6203E, 6105E, 6205E | |

CROSS REFERENCE



| MARS | Packard | Nordyne (Partners Choice) | Lennox (First Choice) | Rheem Protech | Johnstone (Parallel) | York Source 1 | US Motors Nidec |
|-------------|---------|------------------------------|--------------------------|---------------|----------------------|---------------|--------------------|
| 10403/10203 | 60825 | | | | | | 1873 |
| 10404/10204 | 40825 | | Y4635 | | | S1-FHM3204 | 1874 |
| 10405/10205 | 30825 | | Y4643 | | | S1-FHM3205 | 1875 |
| 10756 | | | | | | | 1870 |
| 10727/10732 | 43727B | 01-0160 | | W51-16CJA1-01 | S81-279 | S1-FHM3727 | 1859 |
| 10728/10733 | 43732 | 01-0161 | Y4632 | W51-14CJA1-01 | S81-280 | S1-FHM3728 | 1860 |
| 10729/10734 | 43733 | 01-0162 | Y4631 | W51-13CJA1-01 | S81-281 | S1-FHM3729 | 1861 |
| 10730/10735 | 43734 | 01-0163 | Y4647 | W51-12CJA1-01 | S81-282 | S1-FHM3730 | 1862 |
| 10731/10736 | 43735 | 01-0164 | | 51-42534-19 | S81-283 | S1-FHM3731 | 1863 |
| 10469 | | 01-0696 | Y4645 | 51-20760-11 | S81-802 | S1-FHM3469 | |
| 10465 | | 01-0695 | Y4644 | 51-23053-21 | S81-284 | S1-FHM3465 | |
| 10468 | | 01-0697 | | | | S1-FHM3468 | |
| 10459 | 45488B | | | | S81-799 | | 5488 |
| 10458 | 45458B | | | | | | 5458 |
| 20403 | 60825F | | | | S82-073 | | |
| 20404 | 40825F | | Y4958 | | S82-075 | | |
| 20405 | 30825F | | Y4957 | | | | |
| 20746 | | | | | S82-076 | | |
| 20727 | 43727F | | | | S82-066 | | 1869H |
| 20728 | 43732F | | Y4956 | | S82-067 | | 1860H |
| 20729 | 43733F | | Y4955 | | S82-068 | | 1861H |
| 20730 | 43734F | | | | S82-069 | | 1862H |
| 20731 | 43735F | | | | S82-070 | | 1868H |
| 20836 | | | Y4630 | | | | 3736H |
| 20837 | | | Y4629 | | | | 3737H |
| 20838 | | | Y4628 | | | | 3738H |
| | | | | | | | 3742H |
| 20469 | | | Y4960 | | S82-077 | | |
| 20465 | | | Y4959 | | | | |
| 20468 | | | | | S82-072 | | |
| 20459 | 45488F | | | | S82-074 | | |
| 20458 | 45458F | | | | S82-071 | | |
| 20884 | | | | | | | |
| 10583 | 43583 | 01-0169 | | W51-14BAA3-01 | S81-344 | S1-FHM3583 | 1863 |
| 10584 | 43584 | 01-0173 | | W51-14BJA3-01 | S81-345 | S1-FHM3584 | 1971 |
| 10585 | 43585 | 01-0170 | Y4638 | W51-13BAA3-01 | | S1-FHM3585 | 1864 |
| 10586 | 43586 | 01-0174 | Y4639 | W51-13BJA3-01 | S81-347 | S1-FHM3586 | 1972 |
| 10587 | 43587 | 01-0171 | Y4636 | W51-12BAA3-01 | S81-348 | S1-FHM3587 | 1865 |
| 10588 | 43588 | 01-0175 | Y4637 | W51-12BJA3-01 | S81-349 | S1-FHM3588 | 1973 |
| 10589 | 43589 | 01-0172 | Y4642 | W51-44BAA3-01 | S81-350 | S1-FHM3589 | 8904 |
| 10590 | 43590 | 01-0176 | Y4643 | W51-34BJA3-01 | S81-351 | S1-FHM3590 | 8905 |
| 10591 | 43595 | | | | | | 8906 |
| 10592 | 43596 | | | | | | 8907 |
| 10463 | 45460 | 01-0698 | Y4646 | 51-23012-41 | | S1-FHM3463 | 5460 |
| 10464 | 45461 | 01-0699 | Y4648 | 51-23022-41 | | S1-FHM3464 | 5461 |
| 10466 | 45470 | 01-0702 | Y4649 | | | S1-FHM3466 | 5470 |
| 10467 | 45471 | 01-0701 | Y4650 | | | S1-FHM3467 | 5471 |

| US Motors Rescue | Trade Pro | All OEM Constant Torque |
|------------------------|-----------------------|-------------------------|
| 5632, 6633 | TP-EC13-50 | Yes (Match HP & V) |
| 5642, 5652, 6643, 6653 | TP-EC13-75, TP-EC13-1 | Yes (Match HP & V) |

| US Motors Rescue | All OEM Constant Torque |
|------------------|-------------------------|
| 5561EO | Yes (Match HP & V) |