





Liberty brand products are:

- Easy to sell
- Easy to install
- Easy to service



Additional information

Before purchasing this appliance, read important information about its estimated annual energy consumption, yearly operating cost, or energy efficiency rating that is available from your retailer.



Designed to be easy to sell, install and maintain, Liberty brand residential gas furnaces, air conditioners, heat pumps and packaged products are recognized for both their outstanding performance and value. Featuring the highly sought-after combination of quality and affordability, our full line of Liberty brand products are attractive to homeowners and dealers alike.

Why does the Liberty brand value proposition resonate so well with those who install and maintain our HVAC systems, as well as those who enjoy the indoor comfort they provide? We believe it's the unique blend of reliability, dependability, availability, efficiency, performance and price that we deliver. For complete information on the Liberty brand, be certain to visit:

LibertyHVAC.com





SPLIT SYSTEM AIR CONDITIONERS

						Ne	w R-32 Mod	els	
MODEL	ASXV9	GSXV9	ASXC7	GSXC7	GXV6S	GLXS5B	GLXS4M	GLXS4B	GLXS3B
Refrigerant	R-410A	R-410A	R-410A	R-410A	R-32	R-32	R-32	R-32	R-32
Lifetime Compressor Limited Warranty*	N/A	•	N/A	•	•	N/A	N/A	N/A	N/A
Unit Replacement Limited Warranty*	Lifetime	10-Year	Lifetime	10-Year	10-Year	N/A	N/A	N/A	N/A
10-Year Parts Limited Warranty*	•	•	•	•	•	•	•	•	•
ComfortBridge [™] Compatible	•	•	•	•	ComfortNet™ Only	N/A	N/A	N/A	N/A
SEER2	Up to 23.5	Up to 23.5	Up to17.2	Up to17.2	Up to 17.2	Up to 16.5	Up to 15.2	Up to 15.2	Up to 15
Compressor Type	Variable-Speed Scroll and Swing	Variable-Speed Scroll and Swing	Two-Stage High-Efficiency Scroll	High-Efficiency Two-Stage	Variable-Speed Swing	High-Efficiency Scroll	Energy Efficient Scroll	Rotary 1.5-2.5 Scroll 3-5	Rotary 1.5-2.5 Scroll 3-5
ECM Condening Unit Fan Motor	•	•	•	•	Digitally Commutated	Select Models	Select Models	Select Models	Select Models
High Density Compressor Sound Blanket	•	•	•	•	•	N/A	N/A	N/A	N/A
Factory-Installed Filter Drier	Field-Installed‡	Field-Installed‡	Factory Installed	•	Field-Installed‡	•	•	•	•

[‡]Supplied with filter drier loose and requires field installation by contractor.

Communicating control system keeps it simple



Ask your dealer for additional information or visit www.comfortbridge.com



What is **ComfortBridge** Technology?

The revolutionary ComfortBridge technology is factory-installed into select gas furnaces and air handlers to help your entire HVAC system cost-effectively operates at peak performance — providing consistent energy-efficient home comfort. Simply put, the system's communicating technology that is typically located in a thermostat was moved from the wall and securely placed into the HVAC equipment!

How does ComfortBridge technology benefit you?

The ComfortBridge technology smart home algorithm gathers HVAC system performance data and uses it to automatically make adjustments that may reduce the amount of energy used to heat or cool your home. And, you're not locked into one specific thermostat just because you installed a new HVAC system. The versatility of ComfortBridge technology gives you options.

^{*} Complete warranty details available from your local dealer/contractor or at www.Libertyhvac.com. To receive the Lifetime Compressor Limited Warranty (good for as long as you own your home), 10-Year Unit Replacement Limited Warranty or 10-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. Online registration and some of the additional requirements are not required in Florida, California, or Québec. The duration of warranty coverages in Texas and Florida differs in some cases. Other limitations and exclusions apply; refer to complete warranty details for a full list of limitations and exclusions.

^{*} Complete warranty details available from your local dealer/contractor or at FranklinHVACSystems.com.To receive the Lifetime Heat Exchanger Limited Warranty (good for as long as you own your home), 10-Year Unit Replacement Limited Warranty and 10-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. Online registration and some of the additional requirements are not required in Florida, California, or Québec. The duration of warranty coverages in Texas and Florida differs in some cases. Other limitations and exclusions apply; refer to complete warranty details for a full list of limitations and exclusions.



SPLIT SYSTEM HEAT PUMPS

					New R-32 Models							
MODEL	ASZV9	ASZC7	GSZV9	GSZC7	AZV7S	GZV7S	GZV6S	GLZS5B	GLZS4M	GLZS4B		
Refrigerant	R-410A	R-410A	R-410A	R-410A	R-32	R-32	R-32	R-32	R-32	R-32		
Lifetime Compressor Limited Warranty*	N/A	N/A	•	•	N/A	•	•	N/A	N/A	N/A		
Unit Replacement Limited Warranty*	Lifetime	Lifetime	10-Year	10-Year	Lifetime	10-Year	10-Year	N/A	N/A	N/A		
10-Year Parts Limited Warranty*	•	•	•	•	•	•	•	•	•	•		
ComfortBridge™ Compatible	•	•	•	•	ComfortNet™ Only	ComfortNet™ Only	ComfortNet™ Only	N/A	N/A	N/A		
SEER2	Up to 22.5	Up to 17.2	Up to 22.5	Up to 17.2	Up to 19.0	Up to 19	Up to 19	Up to 16	Up to 15.2	Up to 15.2		
HSPF2	Up to 8.2	Up to 8.2	Up to 8.2	Up to 8.2	Up to 8.8	Up to 8.8	Up to 8.8	Up to 8.2	Up to 7.8	Up to 7.8		
Compressor Type	High-Efficiency Variable-Speed Swing	High-Efficiency Two-Stage Scroll	High-Efficiency Variable-Speed Swing	High-Efficiency Two-Stage Scroll	High-Efficiency Variable-Speed Swing	High-Efficiency Variable-Speed Swing	High-Efficiency Variable-Speed Swing	High-Efficient Scroll	Energy Efficient Scroll	Energy Efficient		
SmartShift [®] Defrost Technology	Demand	Time/Temp	Demand	Time/Temp	Intelligent	Intelligent	Intelligent	Time/Temp	Time/Temp	Time/Temp		
Factory-Installed Accumulator	•	•	•	•	•	•	•	•	•	•		
Crankcase Heater	YES Internal to the compressor	•	YES Internal to the compressor	•	YES Internal to the compressor	YES Internal to the compressor	YES Internal to the compressor	•	•	•		
Compressor Sound Blanket	High Density	High Density	High Density	High Density	High Density	High Density	High Density	N/A	N/A	Select Models		
Factory-Installed Filter Drier	Field-Installed‡	Factory-Installed	Field-Installed‡	•	Factory Installed	Factory Installed	Factory Installed	•	N/A	N/A		

^{*}Supplied with filter drier loose and requires field installation by contractor.

Liberty[™] brand heat pumps for performance you can count on

If you think that the performance of a heat pump is equal to the sum of its parts, then you'll be amazed by Liberty brand R-410A heat pumps. Liberty brand heat pumps contain these standard features:

- Crankcase Heater
- · Suction Line Accumulator
- Discharge Muffler
- Compressor Sound Blanket (Select Models)
- Low Pressure/Loss of Charge Switch
- SmartShift® Defrost Technology



Our continuing commitment to quality products may mean a change in specification without notice.

^{*} Complete warranty details available from your local dealer/contractor or at www.Libertyhvac.com. To receive the Lifetime Compressor Limited Warranty (good for as long as you own your home), Lifetime Unit Replacement Limited Warranty, (good for as long as you own your home), 10-Year Unit Replacement Limited Warranty and 10-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. Online registration and some of the additional requirements are not required in Florida, California, or Québec. The duration of warranty coverages in Texas and Florida differs in some cases. Other limitations and exclusions apply; refer to complete warranty details for a full list of limitations and exclusions.



GAS FURNACES

										odels			
90+% AFUE	AMVM97**	ACVM97**	GMVM97	GCVM97	GMVC96	GCVC96	GMVS96-U [†]	GM9S96-U [†]	GR9T96	GD9T96	GR9S96	GD9S96	GR9S92
R-32 Ready?	With a Furnace Integration Kit	With a Furnace Integration Kit	With a Furnace Integration Kit	YES	YES	YES	YES	YES					
Will it work with an R-410A system?	YES	YES	YES	YES	YES	YES	YES	YES	Convertible	Convertible	Convertible	Convertible	Convertibl
Lifetime Heat Exchanger Limited Warranty*	N/A	N/A	•	•	•	•	•	•	•	•	•	•	•
Unit Replacement Limited Warranty*	Lifetime	Lifetime	10-Year	10-Year	10-Year	10-Year	10-Year	10-Year	10-Year	10-Year	10-Year	10-Year	N/A
10-Year Parts Limited Warranty*	•	•	•	•	•	•	•	•	•	•	•	•	•
ComfortBridge [®] Compatible	•	•	•	•	•	•	•	N/A	N/A	N/A	N/A	N/A	N/A
AFUE	Up to 97%	Up to 97%	Up to 97%	Up to 97%	Up to 96%	Up to 96%	Up to 96%	Up to 96%	Up to 96%	Up to 96%	Up to 97%	Up to 96%	Up to 92%
Gas Valve Type	Modulating	Modulating	Modulating	Modulating	Two Stage	Two Stage	Single Stage	SingleStage	Two Stage	Two Stage	Single Stage	Single Stage	Single Stage
Self-Diagnostics Control Board	•	•	•	•	•	•	•	•	•	•	•	•	•
Aluminized Steel Primary Heat Exchanger	N/A	N/A	•	•	•	•	•	•	•	•	•	•	•
Stainless Steel Tubular, Primary Heat Exchanger	•	•	N/A	N/A	N/A	N/A	Stainless Steel	Stainless Steel	N/A	N/A	N/A	N/A	N/A
Stainless Steel Secondary Heat Exchanger	•	•	•	•	•	•	•	•	•	•	•	•	•
Motor Type	Variable- Speed ECM	Variable- Speed ECM	Variable- Speed ECM	Variable- Speed ECM	Variable- Speed ECM	Variable- Speed ECM	Variable- Speed ECM	Multi- Speed ECM	Multi- Speed ECM	Multi- Speed ECM	Multi- Speed ECM	Multi- Speed ECM	Multi- Speed ECM
Silicon Nitride Igniter	•	•	•	•	•	•	•	•	•	•	•	•	•
Installation Options	Upflow Horizontal	Downflow Horizontal	Upflow Horizontal	Downflow Horizontal	Upflow Horizontal	Downflow Horizontal	Upflow Horizontal	Upflow Horizontal	Upflow Horizontal	Downflow Horizontal	Upflow Horizontal	Downflow Horizontal	Upflow Horizonta

^{*} Complete warranty details available from your local dealer/contractor or at www.Libertyhvac.com. To receive the Lifetime Heat Exchanger Limited Warranty (good for as long as you own your home), 10-Year Unit Replacement Limited Warranty and 10-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. Online registration and some of the additional requirements are not required in Florida, California, or Québec. The duration of warranty coverages in Texas and Florida differs in some cases. Other limitations and exclusions apply; refer to complete warranty details for a full list of limitations and exclusions.

 $\hbox{\ensuremath{\belowdist}{**}} Compatibility with the Amana brand smart thermostat and other Amana brand communicating equipment.}$

					New R-32 Models				
UP TO 80% AFUE	GMVC80	GCVC80	GMVS80-U [†]	GM9S80-U [†]	GR9T80	GD9T80	GR9S80	GD9S80	
R-32 Ready?	With a Furnace Integration Kit	YES	YES	YES	YES				
Will it work with an R-410A system?	YES	YES	YES	YES	Convertible	Convertible	Convertible	Convertible	
Lifetime Heat Exchanger Limited Warranty*	•	•	•	•	•	•	•	•	
Unit Replacement Limited Warranty*	10-Year	10-Year	10-Year	N/A	10-Year	10-Year	N/A	N/A	
10-Year Parts Limited warranty*	•	•	•	•	•	•	•	•	
ComfortBridge" Compatible	•	•	•	N/A	N/A	N/A	N/A	N/A	
Self-Diagnostics Control Board	•	•	•	•	•	•	•	•	
Aluminized Steel Tubular, Dual- Diameter Primary Heat Exchanger	•	•	N/A	N/A	•	•	•	•	
Stainless Steel Tubular, Dual-Diameter Primary Heat Exchanger	N/A	N/A	Stainless Steel	Stainless Steel	N/A	N/A	N/A	N/A	
Gas Valve Type	Two Stage	Two Stage	Single Stage	Single Stage	Two Stage	Two Stage	Single Stage	Single Stage	
Motor Type	Variable-Speed ECM	Variable-Speed ECM	Variable-Speed ECM	Multi-Speed ECM (EEM)	Multi-Speed ECM (EEM)	Multi-Speed ECM (EEM)	Multi-Speed ECM (EEM)	Multi-Speed ECM (EEM)	
Silicon Nitride Igniter Type	•	•	•	•	•	•	•	•	
Installation Options	Upflow Horizontal	Downflow Horizontal	Upflow Horizontal	Upflow Horizontal	Upflow Horizontal	Downflow Horizontal	Upflow Horizontal	Downflow Horizontal	

^{*} Complete warranty details available from your local dealer/contractor or at www.Libertyhvac.com. To receive the Lifetime Heat Exchanger Limited Warranty (good for as long as you own your home), 10-Year Unit Replacement Limited Warranty and 10-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. Online registration and some of the additional requirements are not required in Florida, California, or Québec. The duration of warranty coverages in Texas and Florida differs in some cases. Other limitations and exclusions apply; refer to complete warranty details for a full list of limitations and exclusions.

[†] Sold in California only. All Ultra-Low NOx models comply with the 14 ng/J emission limit specified in the South Coast Air Quality Management District (SCAQMD) Rule 1111 and San Joaquin Valley Air Pollution Control District (SJVAPCD) Rule 4905. Learn more at www.aqmd.gov and www.valleyair.org.

[†] Sold in California only. All Ultra-Low NOx models comply with the 14 ng/J emission limit specified in the South Coast Air Quality Management District (SCAQMD) Rule 1111 and San Joaquin Valley Air Pollution Control District (SJVAPCD) Rule 4905. Learn more at www.aqmd.gov and www.valleyair.org.



AIR HANDLERS

			New R-3	2 Models					
MODEL	230V AHVE/ 230V AHVE*13 Multi-Position	115V AHVE/ 115V AHVE*03 Multi-Position	AMVT/AMVT*13 Multi-Position	AMST/AMST*13 Multi-Position	AWST /AWST*13 WALL MOUNT	ACSF / ACST*13 Ceiling-Mount	AMVE Multi-Position	MBVB MODULAR BLOWER	MBVK MODULAR BLOWER
Refrigerant	R-410A / R-32 (230V AHVE*13 is R-32)	R-410A / R-32 (115V AHVE*03 is R-32)	R-410A / R-32 (AMVT*13 is R-32)	R-410A / R-32 (AMST*13 is R-32)	R-410A / R-32 (AWST*13 is R-32)	R-410A /R-32 (ACST*13 is R-32)	R-410A	R-410A	R-410A
Furnace Integration Kit required for R-32 compatibility	N/A	N/A	N/A	N/A	N/A	N/A	N/A	•	•
10-Year Parts Limited Warranty *	•	•	•	•	•	•	•	•	•
ComfortBridge™ Compatible	ComfortNet™ Only	ComfortNet™ Only	•	N/A	N/A	N/A	•	•	ComfortNet™ Only
ALL-ALUMINUM Evaporator Coil	•	•	•	•	•	•	•	N/A	N/A
Factory-Mounted TXVs	Factory-mounted EEV	Factory-mounted EEV	•	•	•	Factory-mounted TXV included on the ACST*13	Factory-mounted EEV	N/A	N/A
Tonnage	2 to 5 Ton	2 to 5 Ton	2 to 5 Ton	2 to 5 Ton	1½ to 3 Ton	1½ to 2½ Ton	2 to 5 Ton	1½ to 5 Ton	2 to 5 Ton
Motor Type	Variable-Speed ECM	Variable-Speed ECM	Variable-Speed ECM	9 Tap ECM	Multi-Speed ECM	Direct-Drive,- Multi-Speed	Variable-Speed ECM	Vari- able-Speed ECM	Variable-Speed ECM
UL 60335 2-40 Compliant	•	•	•	•	•	•	•	•	•

^{*} Complete warranty details available from your local dealer/contractor or at www.Libertyhvac.com. To receive the 10-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. Online registration and some of the additional requirements are not required in Florida, California, or Québec. The duration of warranty coverages in Texas and Florida differs in some cases. Other limitations and exclusions apply; refer to complete warranty details for a full list of limitations and exclusions.









COILS



CAPT/CAPFA Cased





COILS

		Ne	w R-32 Models					
MODEL	CAPEA/CAPE** / CAPEA*3**	CAPFA/CAPF / CAPFA*3	CHPTA/CHPT / CHPTA*3	CAPTA/CAPT / CAPTA*3	CHPE** / CHPEA*3**	CHPF Cased	CAUFA/CAUF Uncased	CSCF Slab
Refrigerant	R-410A / R-32 (CAPEA*3** is R-32)	R-410A & R-22 / R-32 (CAPFA*3 is R-32)	R-410A / R-32 (CHPTA*3 is R-32)	R-410A / R-32 (CAPTA*3 is R-32)	R-410A / R-32 (CHPEA*3** is R-32)	R-410A	R-410A & R-22	R-410A & R-22
10-Year Parts Limited Warranty*	•	•	•	•	•	•	•	•
ALL-ALUMINUM Evaporator Coil	•	•	•	•	•	•	•	•
AlumaFin7™ Coil	•	•	•	•	N/A	N/A	N/A	N/A
Rust-Resistant, High-Temperature Thermoplastic Drain Pan	•	•	•	•	•	•	•	•
Metering Device	EEV	Piston	TXV	TXV	EEV	Piston	Piston	Piston
Other Features	Upflow, Downflow	Upflow, Downflow	Horizontal	Upflow, Downflow	Horizontal	Horizontal	Upflow, Downflow	Horizontal Slab


^{*} Complete warranty details available from your local dealer/contractor or at www.Libertyhvac.com. To receive the 10-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. Online registration and some of the additional requirements are not required in Florida, California, or Québec. The duration of warranty coverages in Texas and Florida differs in some cases. Other limitations and exclusions apply; refer to complete warranty details for a full list of limitations and exclusions.


^{**} Compatible with Goodman SD and Amana brand S-series side discharge inverter outdoor unit. Modular blower MBVC**00 models are the ONLY ones compatible with the Goodman GTST Connected Thermostat and Amana brand S-series outdoors.



PACKAGED AIR CONDITIONERS

MODEL	GPCH3	GPCM3
10-Year Parts Limited Warranty*	•	•
R-410A Refrigerant	•	•
2023 Compliant	•	•
SEER2	13.4	13.4
Capacity (Tons)	2 to 5 Tons	2 to 5 Tons
Installation Options	Dedicated Horizontal	Multi Position
Energy-Efficient Compressor Type	•	•
Louvered Condenser Coil Protection	•	•
Heavy-Gauge Galvanized Steel Cabinet	•	•







Our continuing commitment to quality products may mean a change in specification without notice.

PACKAGED HEAT PUMPS

PACKAGED DUAL FUEL GAS/ELECTRIC

U	NIT	GPHH5	GPHM5	GPHH3	GPHM3	GPDM3 [†]	GPGM5†	GPGM3 [†]	GPUM3 ^{††}
20-Year Hea	at Exchanger rranty*	N/A	N/A	N/A	N/A	•	•	•	•
10-Year Par Limited Wa		•	•	•	•	•	•	•	•
R-410A Ref	rigerant	•	•	•	•	•	•	•	•
2023 Comp	liant	•	•	•	•	•	•	•	•
SEER2		Up to 15.2	Up to 15.2	13.4	13.4	13.4	Up to 15.2	13.4	13.4
HSPF2	AFUE	6.7	6.7	6.7	6.7	6.7 81%	81%	81%	81%
Capacity (T	ons)	2 to 5 Tons	2 to 5 Tons	2 to 5 Tons	2 to 5 Tons	2 to 4 Tons	2 to 5 Tons	2 to 5 Tons	2 to 5 Tons
Energy-Effic		•	•	•	•	•	•	•	•
Heavy-Gaug Steel Cabin	ge Galvanized et	•	•	•	•	•	•	•	•
Louvered C Coil Protect		•	•	•	•	•	•	•	•
Tubular Hea	it Exchanger	N/A	N/A	N/A	N/A	Aluminized Steel Dual-Diameter Tubular Heat Exchanger	Aluminized Steel Dual-Diameter Tubular Heat Exchanger	Aluminized Steel Dual-Diameter Tubular Heat Exchanger	Stainless Steel Dual-Diameter Tubular Heat Exchanger
Installation	Option	Dedicated Horizontal	Multi- Position	Dedicated Horizontal	Multi- Position	Multi-Position	Multi-Position	Multi-Position	Multi-Position

^{*}Complete warranty details available from your local dealer/contractor or at www.Libertyhvac.com. To receive the 20-Year Heat Exchanger Limited Warranty (good for as long as you own your home), and 10-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. Online registration and some of the additional requirements are not required in Florida, California, or Québec. The duration of warranty coverages in Texas and Florida differs in some cases. Other limitations and exclusions apply; refer to complete warranty details for a full list of limitations and exclusions.

[†] This furnace does not comply with the SCAQMD Rule 1111 nor the SJVAPCD Rule 4905 14 ng/J NOx emission limit and therefore is not eligible for installation in California's South Coast Air Quality Management District (SCAQMD) nor the San Joaquin Valley Air Pollution Control District (SJVAPCD).

^{††}This furnace does not comply with the SCAQMD Rule 1111 nor the SJVAPCD Rule 4905 14 ng/J NOx emission limit and therefore is not eligible for installation in California's South Coast Air Quality Management District (SCAQMD) nor the San Joaquin Valley Air Pollution Control District (SJVAPCD).